

## Effects of exercise training on patients with CKD

### Literatur 2014

1. Aucella F, Valente GL, Catizone L: The role of physical activity in the CKD setting. *Kidney&blood pressure research*. 2014; 39 (2-3): 97-106
2. Aucella F, Gesuete A, Battaglia Y. A "nephrological" approach to physical activity. *Kidney Blood Press Res*. 2014;39(2-3):189-96. doi: 10.1159/000355796. Epub 2014 Jul 29. Review.PMID:25118037
3. Baria F, Kamimura MA, Aoike DT et al. Randomized controlled trial to evaluate the impact of aerobic exercise on visceral fat in overweight chronic kidney disease patients. *Nephrol Dial Transplant*. 2014 Apr;29(4):857-64. doi: 10.1093/ndt/gft529. Epub 2014 Jan 20.PMID:24449105
4. Baggetta R, Bolignano D, Torino C, Manfredini F et al.: Fitness for entering a simple exercise program and mortality: A study corollary to the exercise introduction to enhance performance in dialysis (Exite) Trial. *Kidneyblood pressure research*. 2014; 39 (2-3): 197-204
5. Bellizzi V, Cupisti A, Capitanini A et al.: Physical Activity and renal transplantation. *Kidney&blood pressure research*. 2014; 39 (2-3): 212-9
6. Capitanini A, Lange S, D'Alessandro C et al.: Dialysis exercise team: The way to sustain exercise programs in hemodialysis patients. *Kidney & blood pressure research*. 2014; 39 (2-3): 129-33
7. Cheema BS, Chan D, Fahey P, Atlantis E. Effect of progressive resistance training on measures of skeletal muscle hypertrophy, muscular strength and health-related quality of life in patients with chronic kidney disease: a systematic review and meta-analysis. *Sports Med*. 2014 Aug;44(8):1125-38. doi: 10.1007/s40279-014-0176-8. Review.PMID: 24696049
8. Cupisti A, D'Alessandro C, Fumagalli G, Vigo V, Meola M, Cianchi C, Egidi MF. Nutrition and physical activity in CKD patients. *Kidney Blood Press Res*. 2014;39(2-3):107-13. doi: 10.1159/000355784. Epub 2014 Jul 29. PubMed PMID:25117648.
9. Esteve Simó V, Junqué A, Fulquet M et al. Complete low-intensity endurance training programme in haemodialysis patients: improving the care of renal patients. *Nephron Clin Pract*. 2014;128(3-4):387-93. doi: 10.1159/000369253. Epub 2014 Dec 17.PMID:25531587
10. Gould DW, Graham-Brown MP, Watson EL, Viana JL, Smith AC. Physiological benefits of exercise in pre-dialysis chronic kidney disease. *Nephrology(Carlton)*. 2014 Sep;19(9):519-27. doi: 10.1111/nep.12285. PubMed PMID: 24899042.
11. Greenwood SA, Koufaki P, Mercer TH, MacLaughlin HL, Rush R, Lindup H, O'Connor E, Jones C, Hendry BM, Macdougall IC, Cairns HS. Effect of Exercise Training on Estimated GFR, Vascular Health, and Cardiorespiratory Fitness in Patients With CKD: A Pilot Randomized Controlled Trial. *Am J Kidney Dis*. 2014 Sep 15. pii:S0272-6386(14)01146-9. doi: 10.1053/j.ajkd.2014.07.015. [Epub ahead of print] PubMed PMID: 25236582.
12. Greenwood SA, Naish P, Clark R, O'Connor E, Pursey VA, Macdougall IC, Mercer TH, Koufaki P. Intra-dialytic exercise training: a pragmatic approach. *J Ren Care*. 2014 Sep;40(3):219-26. doi: 10.1111/jorc.12080. Epub 2014 Jul 28. PubMed PMID: 25065613.
13. Headley S, Germain M, Wood R, Joubert J et al. Short-term aerobic exercise and vascular function in CKD stage 3: a randomized controlled trial. *Am J Kidney Dis*. 2014 Aug;64(2):222-9. doi: 10.1053/j.ajkd.2014.02.022. Epub 2014 Apr 26.PMID:24776325
14. Heiwe S, Jacobson SH. Exercise training in adults with CKD: a systematic review and meta-analysis. *Am J Kidney Dis*. 2014 Sep;64(3):383-93. doi: 10.1053/j.ajkd.2014.03.020. Epub 2014 Jun 7. Review. PubMed PMID: 24913219.
15. Kirkman DL, Mullins P, Junglee NA et al.: Anabolic exercise in haemodialysis patients: A randomised controlled pulot study. *J Cachexia Sarcopenia Muscle*. 2014 Sep;5(3):199-207. doi: 10.1007/s13539-014-0140-3. Epub 2014 Apr 8.
16. Kolko Labadens A, Lasseur C, Labat T, Trolonge S, Chauveau P. Physical activity in dialysis population: how and why to assess and establish a program?. *Nephrol Ther*. 2014 Jun;10(3):151-8. doi:

- 10.1016/j.nephro.2013.12.004. Epub 2014 May 2. French. PubMed PMID: 24793573.
17. Kong S, Lee KS, Kim J, Jang SH. The effect of two different hand exercises on grip strength, forearm circumference, and vascular maturation in patients who underwent arteriovenous fistula surgery. *Ann Rehabil Med*. 2014 Oct;38(5):648-57. doi: 10.5535/arm.2014.38.5.648. Epub 2014 Oct 30. PubMed PMID: 25379494; PubMed Central PMCID: PMC4221393.
  18. Kono K, Nishida Y, Moriyama Y et al. Investigation of factors affecting the six-minute walk test results in hemodialysis patients. *Ther Apher Dial*. 2014 Dec;18(6):623-7. doi: 10.1111/1744-9987.12177. Epub 2014 Mar 27. PMID: 24674327
  19. Manfredini F, Lamberti N: Performance assessment of patient on dialysis. *Kidney Blood Press Res*. 2014;39(2-3):176-9.
  20. Molsted S, Andersen JL, Eidemak I, Harrison AP, Jørgensen N. Resistance training and testosterone levels in male patients with chronic kidney disease undergoing dialysis. *Biomed Res Int*. 2014;2014:121273. doi: 10.1155/2014/121273. Epub 2014 Apr 3. PubMed PMID: 24804194; PubMed Central PMCID: PMC3996289.
  21. Molsted S, Eiken P, Andersen JL, Eidemak I, Harrison AP. Interleukin-6 and vitamin D status during high-intensity resistance training in patients with chronic kidney disease. *Biomed Res Int*. 2014;2014:176190. doi:10.1155/2014/176190. Epub 2014 Apr 2. PubMed PMID: 24800209; PubMed Central PMCID: PMC3996980.
  22. Molsted S, Eiken P, Andersen JL et al. Interleukin-6 and vitamin D status during high-intensity resistance training in patients with chronic kidney disease. *Biomed Res Int*. 2014;2014:176190. doi: 10.1155/2014/176190. Epub 2014 Apr 2. PMID:24800209
  23. Moraes C, Marinho SM, da Nobrega AC et al. Resistance exercise: a strategy to attenuate inflammation and protein-energy wasting in hemodialysis patients? *Int Urol Nephrol*. 2014 Aug;46(8):1655-62. doi: 10.1007/s11255-014-0712-3. Epub 2014 Apr 13. PMID:24729104
  24. Motedayen Z, Nehrir B, Tayebi A, Ebadi A, Einollahi B. The effect of the physical and mental exercises during hemodialysis on fatigue: a controlled clinical trial. *Nephrourol Mon*. 2014 Jul 5;6(4):e14686. doi:10.5812/numonthly.14686. eCollection 2014 Jul. PubMed PMID: 25695018.
  25. Painter P, Clark L, Olausson J. Physical function and physical activity assessment and promotion in the hemodialysis clinic: a qualitative study. *Am J Kidney Dis*. 2014 Sep;64(3):425-33. doi: 10.1053/j.ajkd.2014.01.433. Epub 2014 Mar 20. PubMed PMID: 24656397.
  26. Prince LK, Abbott KC, Green F et al. Expanding the role of objectively structured clinical examinations in nephrology training. *Am J Kidney Dis*. 2014 Jun;63(6):906-12. doi: 10.1053/j.ajkd.2014.01.419. Epub 2014 Mar 7. PMID:24613400
  27. Rhee CM, Kalantar-Zadeh K. Resistance exercise: an effective strategy to reverse muscle wasting in hemodialysis patients? *J Cachexia Sarcopenia Muscle*. 2014 Sep;5(3):177-80. doi: 10.1007/s13539-014-0160-z. Epub 2014 Aug 28. PubMed PMID: 25163460; PubMed Central PMCID: PMC4159495.
  28. Rbinson-Cohen C, Littman AJ, Duncan GE et al.: Physical activity and change in estimated GFR among persons with CKD. *Journal of the American Society of Nephrology: JASN*. 2014; 25 (2):399-406
  29. Rossi AP, Burris DD, Lucas FL et al. Effects of a renal rehabilitation exercise program in patients with CKD: a randomized, controlled trial. *Clin J Am Soc Nephrol*. 2014 Dec 5;9(12):2052-8. doi: 10.2215/CJN.11791113. Epub 2014 Nov 20. PMID:25414318
  30. Sawant A, House AA, Overend TJ. Anabolic Effect of Exercise Training in People with End-Stage Renal Disease on Hemodialysis: A Systematic Review with Meta-analysis. *Int Urol Nephrol*. 2014 Aug;46(8):1655-62. doi: 10.1007/s11255-014-0712-3. Epub 2014 Apr 13. PMID:24729104
  31. Shahgholian N, Eshghinezhad A, Mortazavi M. The effect of tai chi exercise on quality of life in hemodialysis patients. *Iran J Nurs Midwifery Res*. 2014 Mar;19(2):152-8. PubMed PMID: 24834084; PubMed Central PMCID: PMC4020024.
  32. Sheng K, Zhang P, Chen L et al. Intradialytic exercise in hemodialysis patients: a systematic review and meta-analysis. *Am J Nephrol*. 2014;40(5):478-90. doi: 10.1159/000368722. Epub 2014 Dec 9.

Review.PMID: 25504020

33. Takaya Y, Kumasaka R, Arakawa T et al. Impact of cardiac rehabilitation on renal function in patients with and without chronic kidney disease after acute myocardial infarction. *J Bras Nefrol.* 2013 Jul-Sep;35(3):170-6. doi: 10.5935/0101-2800.20130028. English, Portuguese. PMID:24100735
34. Torino C, Manfredini F, Bolignano D, Aucella F et al.: Physical performance and clinical outcomes in dialysis patients: A secondary analysis of the Excite Trial. *Kidney&blood pressure research.* 2014; 39 (2-3):205-11
35. Ulas T, Hacibekiroglu I, Ulas S. Does yoga exercise therapy affect oxidative stress parameters in end-stage renal disease patients undergoing hemodialysis? *Int J Yoga.* 2014 Jan;7(1):80. doi: 10.4103/0973-6131.123500. No abstract available. PMID:25035613
36. Wu CY, Han HM, Huang MC et al. Effect of qigong training on fatigue in haemodialysis patients: A non-randomized controlled trial. *Complement Ther Med.* 2014 Apr;22(2):244-50. doi: 10.1016/j.ctim.2014.01.004. Epub 2014 Jan 10. PMID:24731895
37. Van Craenenbroeck AH, Van Craenenbroeck EM, Kouidi et al. Vascular effects of exercise training in CKD: current evidence and pathophysiological mechanisms. *Clin J Am Soc Nephrol.* 2014 Jul;9(7):1305-18. doi: 10.2215/CJN.13031213. Epub 2014 May 15. Review.PMID:24832091
38. Yang B, Xu J, Xue Q et al. Non-pharmacological interventions for improving sleep quality in patients on dialysis: systematic review and meta-analysis. *Sleep Med Rev.* 2015 Oct;23:68-82. doi: 10.1016/j.smrv.2014.11.005. Epub 2014 Dec 10. Review.PMID:25645131